

From cestey@millcomm.com Tue Apr 01 06:11:53 1997
Received: from millcomm.com (midas.millcomm.com [208.135.176.12]) by tapr.org
(8.7.5/8.7.3/1.9) with ESMTP id GAA08910 for <regional_freq@tapr.org>; Tue, 1 Apr
1997 06:11:52 -0600 (CST)
Received: from LOCALNAME (Dial-04.Mpls.MillComm.COM [199.170.133.24])
by millcomm.com (8.8.5/8.8.5) with SMTP id GAA20030
for <regional_freq@tapr.org>; Tue, 1 Apr 1997 06:09:54 -0600 (CST)
Date: Tue, 1 Apr 1997 06:09:54 -0600 (CST)
Message-Id: <1.5.4.16.19970401115958.2fcf8fca@millcomm.com>
X-Sender: cestey@millcomm.com
X-Mailer: Windows Eudora Light Version 1.5.4 (16)
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
To: regional_freq@tapr.org
From: Carl Estey <cestey@millcomm.com>
Subject: Re: [REGIONAL_FREQ:346] E-mail address fills

At 06:00 PM 3/31/97 -0600, you wrote:

>Can you help me with the following e-mail errors the system have. I must
>have something entered or not updated correctly.

>

>Let me know ---

>

> ----- The following addresses have delivery notifications -----
>mackay@cycor.ca (unrecoverable error)

mackay@bud.pelnet.pe.ca

>

>

> ----- Transcript of session follows -----

>550 n7tr@modx.org... Host unknown (Name server: modx.org: host not found)

>File Processed: npcc.txt

n7tr@rnodx.org

>

>

> ----- Transcript of session follows -----

>552 <ka9ren@juno.com>... Message is too large; 61440 bytes max

>KA9REN is going to have to give a new address to get the information
>generated by the system.

>

>

>

>Cheers - Greg

>

>-----

>Greg Jones, WD5IVD

>Austin, Texas

>wd5ivd@tapr.org

><http://www.tapr.org/~wd5ivd>

>-----

>

>
>
>

From jfchaput@wwa.com Tue Apr 01 15:32:10 1997
Received: from sashimi.wwa.com (sashimi.wwa.com [198.49.174.1]) by tapr.org
(8.7.5/8.7.3/1.9) with SMTP id PAA12433 for <regional_freq@tapr.org>; Tue, 1 Apr
1997 15:32:09 -0600 (CST)
Date: Tue, 1 Apr 1997 15:32:05 -0600 (CST)
From: John F Chaput <jfchaput@wwa.com>
To: regional_freq@tapr.org
Subject: Re: [REGIONAL_FREQ:346] E-mail address fills
In-Reply-To: <v0302070eaf65fe47662d@[208.134.134.40]>
Message-ID: <Pine.BSI.3.95.970401153000.12252B-100000@sashimi.wwa.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII

Hello Greg (WD5IVD)-

If ka9ren@juno.com will not work for you, I can also be emailed to
jfchaput@wwa.com just as well.

Hope this helps. 73 de John KA9REN

On Mon, 31 Mar 1997, Greg Jones, WD5IVD wrote:

> Can you help me with the following e-mail errors the system have. I must
> have something entered or not updated correctly.

>

> Let me know ---

>

> ----- The following addresses have delivery notifications -----
> mackay@cycor.ca (unrecoverable error)

>

>

> ----- Transcript of session follows -----

> 550 n7tr@modx.org... Host unknown (Name server: modx.org: host not found)

> File Processed: npcc.txt

>

>

> ----- Transcript of session follows -----

> 552 <ka9ren@juno.com>... Message is too large; 61440 bytes max

> KA9REN is going to have to give a new address to get the information
> generated by the system.

>

>

>

> Cheers - Greg

>

> -----

> Greg Jones, WD5IVD

> Austin, Texas

> wd5ivd@tapr.org

> <http://www.tapr.org/~wd5ivd>

> -----
>
>
>
>

From wd5ivd@tapr.org Tue Apr 01 15:56:14 1997
Received: from [208.134.134.40] ([208.134.134.40]) by tapr.org (8.7.5/8.7.3/1.9)
with ESMTP id PAA14950 for <regional_freq@tapr.org>; Tue, 1 Apr 1997 15:56:12
-0600 (CST)
Message-Id: <v0300781aaf673503cfc0@[208.134.134.40]>
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Date: Tue, 1 Apr 1997 15:57:22 -0600
To: TAPR Regional Freq <regional_freq@tapr.org>
From: "Greg Jones, WD5IVD" <wd5ivd@tapr.org>
Subject: Lat/Lon Check

Did everyone get their latest check output with the LAT/LON info on it.

Did it work okay ? While I tested on several files, you never know what
will happen until the thing runs on all data sets.

Greg

Greg Jones, WD5IVD
Austin, Texas
wd5ivd@tapr.org
<http://www.tapr.org/~wd5ivd>

From sdraper@ckt.net Tue Apr 01 17:30:26 1997
Received: from ckt.net (girard1-le1.ckt.net [206.253.50.10]) by tapr.org
(8.7.5/8.7.3/1.9) with SMTP id RAA22246 for <regional_freq@tapr.org>; Tue, 1 Apr
1997 17:30:25 -0600 (CST)
Received: from LOCALNAME by ckt.net (SMI-8.6/SMI-SVR4)
id RAA19279; Tue, 1 Apr 1997 17:30:05 -0600
Message-ID: <334145EB.598C@ckt.net>
Date: Tue, 01 Apr 1997 17:29:15 +0000
From: "Stephen C. Draper N5SD" <sdraper@ckt.net>
Reply-To: sdraper@ckt.net
X-Mailer: Mozilla 3.01 (Win16; I)
MIME-Version: 1.0
To: regional_freq@tapr.org
Subject: Re: [REGIONAL_FREQ:350] Lat/Lon Check
References: <v0300781aaf673503cfc0@[208.134.134.40]>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

Greg Jones, WD5IVD wrote:

>

> Did everyone get their latest check output with the LAT/LON info on it.

>

> Did it work okay ? While I tested on several files, you never know what
> will happen until the thing runs on all data sets.
>

I got error reports back on all my entries because they were to DDMM
only
and did not have any .HH hundredths of minutes entries.

73,
Steve N5SD

From rmackay@cycor.ca Tue Apr 01 17:44:43 1997
Received: from bud.peinet.pe.ca (root@bud.peinet.pe.ca [198.167.1.1]) by tapr.org
(8.7.5/8.7.3/1.9) with ESMTP id RAA23344 for <regional_freq@tapr.org>; Tue, 1 Apr
1997 17:44:41 -0600 (CST)
Received: from VE1AIC (ch-as28.peinet.pe.ca [198.167.2.128]) by bud.peinet.pe.ca
(8.8.5/8.6.11) with SMTP id TAA22272 for <regional_freq@tapr.org>; Tue, 1 Apr 1997
19:44:38 -0400 (AST)
Date: Tue, 1 Apr 1997 19:44:38 -0400 (AST)
Message-Id: <199704012344.TAA22272@bud.peinet.pe.ca>
X-Sender: rmackay@mail.peinet.pe.ca
X-Mailer: Windows Eudora Version 1.4.3
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
To: regional_freq@tapr.org
From: rmackay@cycor.ca (Ron VE1AIC)
Subject: Re: [REGIONAL_FREQ:348] Re: E-mail address fills

>At 06:00 PM 3/31/97 -0600, you wrote:
>>Can you help me with the following e-mail errors the system have. I must
>>have something entered or not updated correctly.
>>
>>Let me know ---
>>
>> ----- The following addresses have delivery notifications -----
>>mackay@cycor.ca (unrecoverable error)
>
>mackay@bud.pelnet.pe.ca

Hi Carl, as mentioned to Greg there is a missing "r" at the beginning of
that address.
Not sure how it happened but the correct address is rmackay@cycor.ca

Note that the older version of rmackay@peinet.pe.ca (with or without bud) is
also valid.
(These ISP's keep buying each other out HI)
73 - Ron

From sdimse@bridge.net Tue Apr 01 18:03:00 1997
Received: from brickell.bridge.net (root@brickell.bridge.net [204.253.4.3]) by
tapr.org (8.7.5/8.7.3/1.9) with ESMTP id SAA24789 for <regional_freq@tapr.org>;
Tue, 1 Apr 1997 18:02:59 -0600 (CST)
Received: from bridge.net (bridge.net [204.253.4.4])
by brickell.bridge.net (8.8.5/8.8.5) with ESMTP id TAA03090

for <regional_freq@tapr.org>; Tue, 1 Apr 1997 19:02:56 -0500
Received: from [199.174.160.113] (ad18-113.compuserve.com [199.174.160.113])
by bridge.net (8.8.5/8.8.5) with SMTP id TAA00956
for <regional_freq@tapr.org>; Tue, 1 Apr 1997 19:02:52 -0500 (EST)
Message-Id: <199704020002.TAA00956@bridge.net>
Subject: Lat/Lon Errors
Date: Tue, 1 Apr 97 19:02:53 -0500
x-sender: sdimse@mail.bridge.net
x-mailer: Claris EMailer 2.0 x52, February 26, 1997
From: Steve Dimse <sdimse@bridge.net>
To: <regional_freq@tapr.org>
Mime-Version: 1.0
Content-Type: text/plain; charset="US-ASCII"

>>
>>I got error reports back on all my entries because they were to DDMM
>>only
>>and did not have any .HH hundredths of minutes entries.
>>

I don't know if this reporting was done just off the top of the head
(quick and dirty) or if it was a deliberate attempt to obscure a
location. In case it was the later I'd just like to clarify the errors
involved, so people can pick values more appropriate to their needs.

A minute is about 60 miles, so the max error of only reporting the DDMM
is about 40 miles, far more than is needed for secrecy, and enough to
interfere with the use of the maps to obtain user info. Obviously, then,
reporting DDMM.H would be abt 4 mile max error, and DDMM.HH 0.4 miles.

As an avid APRS user, I have obvious come to grips with the fact that
others know my exact position most of the time, and it doesn't bother me.
I can understand why others might not be so comfortable.

Rather than just shaving off digits, I'd suggest finding a location that
describes the coverage...say the center of a nearby town, etc, and using
that exact location. In case you don't have access to a program that can
report lat/lon such as APRS, Street Atlas, etc, I'll be glad to give you
lat/lons for any city you need, just send me a list (zipcodes would be
easier for me, but town and state would be manageable).

Steve K4HG
sdimse@bridge.net

From rmackay@cycor.ca Tue Apr 01 19:05:31 1997
Received: from bud.peinet.pe.ca (root@bud.peinet.pe.ca [198.167.1.1]) by tapr.org
(8.7.5/8.7.3/1.9) with ESMTP id TAA06169 for <regional_freq@tapr.org>; Tue, 1 Apr
1997 19:05:29 -0600 (CST)
Received: from VE1AIC (ch-as31.peinet.pe.ca [198.167.2.131]) by bud.peinet.pe.ca
(8.8.5/8.6.11) with SMTP id VAA05148 for <regional_freq@tapr.org>; Tue, 1 Apr 1997
21:05:26 -0400 (AST)
Date: Tue, 1 Apr 1997 21:05:26 -0400 (AST)
Message-Id: <199704020105.VAA05148@bud.peinet.pe.ca>
X-Sender: rmackay@mail.peinet.pe.ca
X-Mailer: Windows Eudora Version 1.4.3

Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
To: regional_freq@tapr.org
From: rmackay@cycor.ca (Ron VE1AIC)
Subject: Re: [REGIONAL_FREQ:353] Lat/Lon Errors

>>>
>>>I got error reports back on all my entries because they were to DDMM
>>>only
>>>and did not have any .HH hundredths of minutes entries.
>>>
>I don't know if this reporting was done just off the top of the head
>(quick and dirty) or if it was a deliberate attempt to obscure a
>location. In case it was the later I'd just like to clarify the errors
>involved, so people can pick values more appropriate to their needs.
>
>A minute is about 60 miles, so the max error of only reporting the DDMM
>is about 40 miles, far more than is needed for secrecy, and enough to
>interfere with the use of the maps to obtain user info. Obviously, then,
>reporting DDMM.H would be abt 4 mile max error, and DDMM.HH 0.4 miles.
>

Mmmm according to my map 1 Degree is approx 49 statute miles, and 1 minute
approx 0.8 miles. Therefore not including .HH would give a maximum error of
0.8 miles.

- Ron

From sdimse@bridge.net Tue Apr 01 20:00:35 1997
Received: from brickell.bridge.net (root@brickell.bridge.net [204.253.4.3]) by
tapr.org (8.7.5/8.7.3/1.9) with ESMTP id UAA08948 for <regional_freq@tapr.org>;
Tue, 1 Apr 1997 20:00:33 -0600 (CST)
Received: from bridge.net (bridge.net [204.253.4.4])
by brickell.bridge.net (8.8.5/8.8.5) with ESMTP id VAA07831
for <regional_freq@tapr.org>; Tue, 1 Apr 1997 21:00:32 -0500
Received: from [199.174.193.10] (ad64-010.compuserve.com [199.174.193.10])
by bridge.net (8.8.5/8.8.5) with SMTP id VAA15455
for <regional_freq@tapr.org>; Tue, 1 Apr 1997 21:00:29 -0500 (EST)
Message-Id: <199704020200.VAA15455@bridge.net>
Subject: Re: [REGIONAL_FREQ:354] Re: Lat/Lon Errors
Date: Tue, 1 Apr 97 21:00:30 -0500
x-sender: sdimse@mail.bridge.net
x-mailer: Claris EMailer 2.0 x52, February 26, 1997
From: Steve Dimse <sdimse@bridge.net>
To: <regional_freq@tapr.org>
Mime-Version: 1.0
Content-Type: text/plain; charset="US-ASCII"

On 4/1/97 8:13 PM Ron VE1AIC (rmackay@cycor.ca) wrote:

>Mmmm according to my map 1 Degree is approx 49 statute miles, and 1 minute
>approx 0.8 miles. Therefore not including .HH would give a maximum error of
>0.8 miles.

Oops...don't suppose I'd get away with calling it April fools? Anyway,

correcting my units, one minute of latitude is always 1 nautical mile, or 1.154 statute mile, while the distance of one minute of longitude varies with the latitude (from 1 nm at the equator to 0 at the poles). The max error would be the square root of the sum of the errors in lat squared + lon squared, so for the US say 1.0 or 1.1 sm...

Anyway, the main point of my original post remains, that it is better to pick a logical point than to just strip the digits off...

Steve K4HG

From ka4afi@bbs.wd4roj.ampr.org Fri Apr 04 19:33:56 1997
Received: from bbs.wd4roj.ampr.org (gw.awanet.com [205.216.78.95]) by tapr.org (8.7.5/8.7.3/1.9) with SMTP id TAA13988 for <regional_freq@tapr.org>; Fri, 4 Apr 1997 19:33:54 -0600 (CST)
Date: Fri, 04 Apr 97 19:33:28 CST
Message-Id: <172173@bbs.wd4roj.ampr.org>
From: Jim Ketcham <ka4afi@bbs.wd4roj.ampr.org>
Reply-To: ka4afi@bbs.wd4roj.ampr.org
To: regional_freq@tapr.org
Subject: TCP vs. MAIL map icons

I have entered over 25 Bulletin Board Systems (BBS) for Alabama. They all have BBS in the "system type" field. However, the ones that have TCP/IP in the "network type" field lose their MAIL icon on the map and end up with a TCP icon instead.

If I select MAIL for the map display - then every entry that has BBS in the "SYSTEM TYPE" should show on the map with a MAIL icon.

If I select TCP/IP for the map display - then the entries with TCP/IP in the "NETWORK TYPE" field should show on the map with the TCP icon.

+ -- +
73 de Jim: KA4AFI, Co-SysOp, EARS JNOS gateway BBS
WD4ROJ.#SEAL.AL.USA.NOAM -or- bbs.wd4roj.ampr.org
+ -- +

From sdimse@bridge.net Sat Apr 05 07:14:26 1997
Received: from brickell.bridge.net (root@brickell.bridge.net [204.253.4.3]) by tapr.org (8.7.5/8.7.3/1.9) with ESMTP id HAA17785 for <regional_freq@tapr.org>; Sat, 5 Apr 1997 07:14:24 -0600 (CST)
Received: from bridge.net (bridge.net [204.253.4.4])
by brickell.bridge.net (8.8.5/8.8.5) with ESMTP id IAA27048
for <regional_freq@tapr.org>; Sat, 5 Apr 1997 08:14:23 -0500
Received: from [207.16.5.37] (ppp-mia1-37.bridge.net [207.16.5.37])
by bridge.net (8.8.5/8.8.5) with SMTP id IAA26641
for <regional_freq@tapr.org>; Sat, 5 Apr 1997 08:14:21 -0500 (EST)
Message-Id: <199704051314.IAA26641@bridge.net>
Subject: Re: [REGIONAL_FREQ:356] TCP vs. MAIL map icons
Date: Sat, 5 Apr 97 08:14:31 -0500
x-sender: sdimse@mail.bridge.net
x-mailer: Claris EMailer 2.0 x52, February 26, 1997

From: Steve Dimse <sdimse@bridge.net>
To: <regional_freq@tapr.org>
Mime-Version: 1.0
Content-Type: text/plain; charset="US-ASCII"

On 4/4/97 8:38 PM Jim Ketcham (ka4afi@bbs.wd4roj.ampr.org) wrote:

>I have entered over 25 Bulletin Board Systems (BBS) for Alabama.
>They all have BBS in the "system type" field. However, the ones
>that have TCP/IP in the "network type" field loose their MAIL
>icon on the map and end up with a TCP icon instead.

>

>If I select MAIL for the map display - then every entry that has
>BBS in the "SYSTEM TYPE" should show on the map with a MAIL icon.

>

>If I select TCP/IP for the map display - then the entries with
>TCP/IP in the "NETWORK TYPE" field should show on the map with
>the TCP icon.

>

Right now, there is no division between the system type and network type fields. This is a consequence of my early work on the database when there was no "enforcement" of the field values, so I was basically testing for everything including the kitchen sink; once it found a match it stopped searching, so each listing could only have one category, and then menu just searched for those icons that matched the choice. Now that the field values have been paired down it should be possible to come up a more concise set of tests.

If anyone knows where I can find a day with 48 hours I'll get it done right away, otherwise may take a while...

Steve K4HG

From cestey@millcomm.com Mon Apr 07 17:24:17 1997
Received: from millcomm.com (midas.millcomm.com [208.135.176.12]) by tapr.org (8.7.5/8.7.3/1.9) with ESMTP id RAA27902 for <REGIONAL_FREQ@tapr.org>; Mon, 7 Apr 1997 17:24:15 -0500 (CDT)
Received: from HBC-GV-E-WS0018 (hbc-gv-e-ws0018.resd.honeywell.com [131.201.98.27])
by millcomm.com (8.8.5/8.8.5) with SMTP id RAA29950
for <REGIONAL_FREQ@tapr.org>; Mon, 7 Apr 1997 17:22:11 -0500 (CDT)
Message-Id: <3.0.32.19970407172002.00931240@midas.millcomm.com>
X-Sender: cestey@midas.millcomm.com
X-Mailer: Windows Eudora Pro Version 3.0 (32)
Date: Mon, 07 Apr 1997 17:28:59 -0500
To: REGIONAL_FREQ@tapr.org
From: Carl Estey <cestey@millcomm.com>
Subject: "Band" now checked
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"

To all NADSD data providers:

In order to drive the mapping software more efficiently, we must all use

the bands defined in the file specifications
(<http://www.tapr.org/directory/how.html>)

The only recognized bands entries should be:
'3.5','7','14','21','29','52','144','219','222','220','440','1200' [don't
enter the ' shown here]

The NADSD automatic file checker will generate a report to you of any
errors it discovers.

Thanks for your help in making the NADSD both accurate and complete!

73

Carl - WA0CQG
TAPR NADSD team focal point

From knoliver@tcd.net Mon Apr 07 21:57:47 1997
Received: from squid.tcd.net (root@squid.tcd.net [198.70.50.5]) by tapr.org
(8.7.5/8.7.3/1.9) with ESMTP id VAA28481 for <regional_freq@tapr.org>; Mon, 7 Apr
1997 21:57:41 -0500 (CDT)
Received: from tcd.net (root@main.tcd.net [198.70.50.4])
by squid.tcd.net (8.8.5/8.8.5) with ESMTP
id VAA00125 for <regional_freq@tapr.org>; Mon, 7 Apr 1997 21:00:40 -0600
Received: from knoliver (slip22.cedar.tcd.net [198.70.50.162]) by tcd.net
(8.8.5/8.8.5) with ESMTP id UAA02927 for <regional_freq@tapr.org>; Mon, 7 Apr 1997
20:57:33 -0600
Message-Id: <199704080257.UAA02927@tcd.net>
From: "Ken Oliver" <knoliver@tcd.net>
To: <regional_freq@tapr.org>
Subject: uploading to NADSD
Date: Mon, 7 Apr 1997 19:57:14 -0600
X-MSMail-Priority: Normal
X-Priority: 3
X-Mailer: Microsoft Internet Mail 4.70.1161
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit

Has anyone had any luck uploading to NADSD via Internet Explorer???
I still have not found a way. Keep getting: Internet Explorer cannot open
the Internet site (.....). The server returned extended
information.
Can't believe noone uses Internet Explorer. If not, I might have to get
Netscape also. Thanks and 73 de Ken in Utah.

From wd5ivd@tapr.org Mon Apr 07 22:31:22 1997
Received: from [208.134.134.40] ([208.134.134.40]) by tapr.org (8.7.5/8.7.3/1.9)
with ESMTP id WAA00312 for <regional_freq@tapr.org>; Mon, 7 Apr 1997 22:31:06
-0500 (CDT)

Message-Id: <v0302095caf6f6a652643@[208.134.134.40]>
In-Reply-To: <199704080257.UAA02927@tcd.net>
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Date: Mon, 7 Apr 1997 22:22:38 -0500
To: regional_freq@tapr.org
From: "Greg Jones, WD5IVD" <wd5ivd@tapr.org>
Subject: Re: [REGIONAL_FREQ:359] uploading to NADSD

You might just want to download and use an FTP program, which will allow more flexibility.

Greg

>Has anyone had any luck uploading to NADSD via Internet Explorer???
>I still have not found a way. Keep getting: Internet Explorer cannot open
>the Internet site (.....). The server returned extended
>information.
>Can't believe noone uses Internet Explorer. If not, I might have to get
>Netscape also. Thanks and 73 de Ken in Utah.

Greg Jones, WD5IVD
Austin, Texas
wd5ivd@tapr.org
<http://www.tapr.org/~wd5ivd>

From xe2xpk@nld.bravo.net Tue Apr 08 22:12:07 1997
Received: from nld.bravo.net (root@nld.bravo.net [207.48.46.13]) by tapr.org (8.7.5/8.7.3/1.9) with SMTP id WAA27246 for <regional_freq@tapr.org>; Tue, 8 Apr 1997 22:12:06 -0500 (CDT)
Received: from xe2xpk.bravo.net ([207.48.46.152]) by nld.bravo.net (8.6.12/8.6.9) with SMTP id UAA18435 for <regional_freq@tapr.org>; Tue, 8 Apr 1997 20:38:06 -0600
Message-ID: <334B08E5.65C0@nld.bravo.net>
Date: Tue, 08 Apr 1997 22:11:33 -0500
From: "Sergio P. Korlowsky" <xe2xpk@nld.bravo.net>
Reply-To: xe2xpk@nld.bravo.net
Organization: Compuweb Computer Services
X-Mailer: Mozilla 3.01Gold (Win95; I)
MIME-Version: 1.0
To: regional_freq@tapr.org
Subject: Re: [REGIONAL_FREQ:359] uploading to NADSD
References: <199704080257.UAA02927@tcd.net>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

Ken Oliver wrote:

>
> Has anyone had any luck uploading to NADSD via Internet Explorer???
> I still have not found a way. Keep getting: Internet Explorer cannot open
> the Internet site (.....). The server returned extended

> information.
> Can't believe noone uses Internet Explorer. If not, I might have to get
> Netscape also. Thanks and 73 de Ken in Utah.

Dump MSIE and get Netscape, Standard or Gold... Anyway, there are lots
of problems with IE concerning SECURITY!!!

Sergio P. Korlowsky:xe2xpk@tam.mex.na
mailto:xe2xpk@nld.bravo.net
http://207.48.46.152/aficion

From W8EB@aol.com Wed Apr 09 09:23:12 1997
Received: from emout11.mail.aol.com (emout11.mx.aol.com [198.81.11.26]) by
tapr.org (8.7.5/8.7.3/1.9) with ESMTP id JAA04214 for <regional_freq@tapr.org>;
Wed, 9 Apr 1997 09:23:11 -0500 (CDT)
From: W8EB@aol.com
Received: (from root@localhost)
by emout11.mail.aol.com (8.7.6/8.7.3/AOL-2.0.0)
id KAA14107 for regional_freq@tapr.org;
Wed, 9 Apr 1997 10:22:38 -0400 (EDT)
Date: Wed, 9 Apr 1997 10:22:38 -0400 (EDT)
Message-ID: <970409102237_-1871415920@emout11.mail.aol.com>
To: regional_freq@tapr.org
Subject: Re: Help

I think I now, again, have the data ready for transfer but I have lost the
directions and the passwords I need to get the information to you folks.

I am sorry for this but I hope that for some of you this is quite easy to
understand and do, but for some of us this is not easy to understand or do
and because of that it is quite frustrating. I have seen some messages where
you have requested the person hold off on the vinegar, that is a nice way of
putting it, but I hope you understand that for those of us who try to do a
good job but who are not good at this transfer stuff, it is not fun feeling
or looking stupid.

Thank you for the anticipated help.

Bil W8EB

From burt@roccler.qc.ca Wed Apr 09 09:45:16 1997
Received: from suroit.roccler.qc.ca (root@suroit.roccler.qc.ca [204.101.179.3]) by
tapr.org (8.7.5/8.7.3/1.9) with SMTP id JAA10551 for <regional_freq@tapr.org>;
Wed, 9 Apr 1997 09:45:15 -0500 (CDT)
Received: from p204.roccler.qc.ca (p216.roccler.qc.ca [204.101.179.216]) by
suroit.roccler.qc.ca (8.6.11/8.6.9) with SMTP id KAA05277 for
<regional_freq@tapr.org>; Wed, 9 Apr 1997 10:45:16 -0400
Message-ID: <334B730C.1957@roccler.qc.ca>
Date: Wed, 09 Apr 1997 10:44:28 +0000
From: Burt Lang <burt@roccler.qc.ca>
Reply-To: burt@roccler.qc.ca
Organization: ve2bmq
X-Mailer: Mozilla 3.0 (Win16; I)
MIME-Version: 1.0

To: regional_freq@tapr.org
Subject: Re: [REGIONAL_FREQ:361] Re: uploading to NADSD
References: <334B08E5.65C0@nld.bravo.net>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

Sergio P. Korlowsky wrote:

>
> Ken Oliver wrote:
> >
> > Has anyone had any luck uploading to NADSD via Internet Explorer???
>
> snip
>
> Dump MSIE and get Netscape, Standard or Gold... Anyway, there are lots
> of problems with IE concerning SECURITY!!!
>
> Sergio P. Korlowsky:xe2xpk@tam.mex.na
>

Web Browsers are not very good at UPLOADING files. Best to get a real FTP program like WS_FTP LE . It is freeware for personal use and works like a charm ftping both ways as well as deleting files at the remote host and checking directories etc.

Burt VE2BMQ>>>

From cestey@millcomm.com Thu Apr 10 11:15:04 1997
Received: from millcomm.com (midas.millcomm.com [208.135.176.12]) by tapr.org (8.7.5/8.7.3/1.9) with ESMTP id LAA28326 for <regional_freq@tapr.org>; Thu, 10 Apr 1997 11:15:03 -0500 (CDT)
Received: from HBC-GV-E-WS0018 (hbc-gv-e-ws0018.resd.honeywell.com [131.201.98.27])
by millcomm.com (8.8.5/8.8.5) with SMTP id LAA22641
for <regional_freq@tapr.org>; Thu, 10 Apr 1997 11:12:56 -0500 (CDT)
Message-Id: <3.0.32.19970410111914.00931440@midas.millcomm.com>
X-Sender: cestey@midas.millcomm.com
X-Mailer: Windows Eudora Pro Version 3.0 (32)
Date: Thu, 10 Apr 1997 11:19:45 -0500
To: regional_freq@tapr.org
From: Carl Estey <cestey@millcomm.com>
Subject: Need "Groups" list maintainer
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"

I need someone to "off-load" the task of doing occasional editing to the file of "group participants".

This file is in HTML format and lists everyone who is providing data for the NADSD. What is needed is someone to take the changes Greg or I will send them and modify the file and then re-submit it to Greg to replace the old one. Changes need to be done weekly (or sooner) but should take only minutes to do. As it is, I let them pile up until I get to them - and that delays new participants from being issued sub-directories. If you can

spare 5 - 20 minutes per week to help the NADSD, please let me know.

Carl - WA0CQG
NADSD Team focal point

From grkent@bigfoot.com Thu Apr 10 18:03:24 1997
Received: from dev.infoave.net (dev.infoave.net [165.166.143.11]) by tapr.org (8.7.5/8.7.3/1.9) with ESMTP id SAA05973 for <regional_freq@tapr.org>; Thu, 10 Apr 1997 18:03:22 -0500 (CDT)
Received: from george (dial-2.r1.sclnncs.InfoAve.Net) by DEV.InfoAve.Net (PMDF V5.0-8 #17060) id <01IHJUI6032M8WVYJN@DEV.InfoAve.Net> for regional_freq@tapr.org; Thu, 10 Apr 1997 19:01:30 -0500 (EST)
Date: Thu, 10 Apr 1997 19:01:15 -0500
From: George Kent <grkent@bigfoot.com>
Subject: Re: [REGIONAL_FREQ:364] Need "Groups" list maintainer
In-reply-to: <3.0.32.19970410111914.00931440@midas.millcomm.com>
To: regional_freq@tapr.org
Message-id: <01IHJUI8LQ5C8WVYJN@DEV.InfoAve.Net>
MIME-version: 1.0
X-Mailer: Becky! ver 1.12
Content-type: text/plain
Content-transfer-encoding: 7bit
References: <3.0.32.19970410111914.00931440@midas.millcomm.com>

Carl, I'm willing to help. I have the time and equipment.
Sock it to me!

George Kent
Lancaster, SC
KD4DVT@KD4DVT.#LANC.SC.USA.NOAM
grkent@bigfoot.com
<<http://web.infoave.net/~grkent>>

On Thu, 10 Apr 1997 11:16:56 -0500 (CDT)
Carl Estey <cestey@millcomm.com> wrote:

> I need someone to "off-load" the task of doing occasional editing to the
> file of "group participants".
>
> This file is in HTML format and lists everyone who is providing data for
> the NADSD. What is needed is someone to take the changes Greg or I will
> send them and modify the file and then re-submit it to Greg to replace th
> old one. Changes need to be done weekly (or sooner) but should take only
> minutes to do. As it is, I let them pile up until I get to them - and that
> delays new participants from being issued sub-directories. If you can
> spare 5 - 20 minutes per week to help the NADSD, please let me know.
>
> Carl - WA0CQG
> NADSD Team focal point
>

From cestey@millcomm.com Mon Apr 14 11:08:48 1997
Received: from millcomm.com (midas.millcomm.com [208.135.176.12]) by tapr.org (8.7.5/8.7.3/1.9) with ESMTP id LAA19657 for <REGIONAL_FREQ@tapr.org>; Mon, 14 Apr 1997 11:08:47 -0500 (CDT)
Received: from HBC-GV-E-WS0018 (hbc-gv-e-ws0018.resd.honeywell.com [131.201.98.27])
by millcomm.com (8.8.5/8.8.5) with SMTP id LAA15379
for <REGIONAL_FREQ@tapr.org>; Mon, 14 Apr 1997 11:06:32 -0500 (CDT)
Message-Id: <3.0.32.19970414111255.0090c180@midas.millcomm.com>
X-Sender: cestey@midas.millcomm.com
X-Mailer: Windows Eudora Pro Version 3.0 (32)
Date: Mon, 14 Apr 1997 11:13:26 -0500
To: REGIONAL_FREQ@tapr.org
From: Carl Estey <cestey@millcomm.com>
Subject: General NADSD info
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"

There are a number of NADSD related things you should be aware of. Here's a run-down of what is happening.

A small procedural change has been made to the NADSD file structure. The BAND entry data for the NADSD has been changed to allow entry of the following only:
'3.5','7','10','14','18','21','24','29','52','144','219','222','220','440','1200'

(Do NOT include the ' shown here around the numbers).

Also, please make sure that Location, City, and County are in word capital format. not all uppercase. (The City for example, should be entered as Bloomington and NOT BLOOMINGTON.)

Frank Aguilar (faguilar@ICSI.Net) has joined the NADSD team to help maintain the "participating groups" list. I have forwarded to Frank a list of changes to this list and they will be made in the near future. I welcome Frank's help in this area as he has talents with HTML that I do not have and with his help we will be able to get new participants set up much faster and the "groups page" should become much more current. Thanks for offering Frank - and welcome.

A big thanks to the many who volunteered to help maintaining the "groups" list. It is really exciting to see that kind of support for the NADSD project!

Eleven new participant accounts were set up by our database expert, Greg Jones WD5IVD over the weekend. This morning I sent e-mail instructions and their unique directory names to each. If you did not receive such a message and are not a current registered data provider for the NADSD - please let me know if you have previously registered. It is possible that we may have missed someone!

Several weeks ago I sent e-mail requests concerning our need for data providers to the ARRL Directors and Section Managers for those eleven States where we have no participants. A few directors and section managers

did respond - and a few new States will be represented soon (like ND)! Thanks to everyone who has helped in this. Please help us locate data providers for those missing States.

There are over 30 people who have registered as NADSD data providers that have been issued passwords and unique file sub-directory names and have never uploaded any data. Many of these are from States we badly need. I will be sending a note via U.S. Mail within the week to try and contact these folks.

We are looking for someone to take over the Michigan list that has been created by Bil, W8EB. The list is in ARRL format but needs to become tab delimited and missing field like LAT/LON added. If you can help with this, please contact either Bil at W8EB@aol.com or send me a note.

Thanks to everyone for making the NADSD a BIG SUCCESS with now over 3,637 systems listed and 5,976 accesses since we started December 1st!

Best wishes,

Carl - WA0CQG
TAPR NADSD Team focal point

From wd5ivd@tapr.org Mon Apr 14 13:53:32 1997
Received: from [192.168.1.2] (knezek2.coe.unt.edu [129.120.111.42]) by tapr.org (8.7.5/8.7.3/1.9) with ESMTP id NAA16062 for <regional_freq@tapr.org>; Mon, 14 Apr 1997 13:53:30 -0500 (CDT)
Message-Id: <v03020901af782c6b64d9@[192.168.1.2]>
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Date: Mon, 14 Apr 1997 13:51:25 -0500
To: TAPR Regional Freq <regional_freq@tapr.org>
From: "Greg Jones, WD5IVD" <wd5ivd@tapr.org>
Subject: Finding Lat/Lon

I know several of you have done Lat/Lon for cities until you can get closer position input from the node owner.

Could everyone (who has done this) write up a little description about doing this so we can include it in the FAQ, what Carl sends out to new people, and the How it works page.

I think there are several approaches, APRS, Internet database, books, etc. Just let me know how you have done it and I can collect them all and post them.

If there is an Internet source that I could somehow access via a request, then I could have the check program suggest a LAT/LON based off city name and state ????. Just thinking.

Cheers - Greg

Greg Jones, WD5IVD
Austin, Texas
wd5ivd@tapr.org
<http://www.tapr.org/~wd5ivd>

From sdraper@ckt.net Mon Apr 14 18:41:42 1997
Received: from ckt.net (girard1-le1.ckt.net [206.253.50.10]) by tapr.org
(8.7.5/8.7.3/1.9) with SMTP id SAA23128 for <regional_freq@tapr.org>; Mon, 14 Apr
1997 18:41:40 -0500 (CDT)
Received: from LOCALNAME by ckt.net (SMI-8.6/SMI-SVR4)
id SAA20730; Mon, 14 Apr 1997 18:39:23 -0500
Message-ID: <33527AA5.AE0@ckt.net>
Date: Mon, 14 Apr 1997 18:42:45 +0000
From: "Stephen C. Draper N5SD" <sdraper@ckt.net>
Reply-To: sdraper@ckt.net
X-Mailer: Mozilla 3.01Gold (Win16; I)
MIME-Version: 1.0
To: regional_freq@tapr.org
Subject: Re: Finding Lat/Lon
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

This location will give you 2 lookups at the same time:

<http://www.indo.com/distance/>

73,
Steve N5SD

From grkent@bigfoot.com Mon Apr 14 22:19:22 1997
Received: from dev.infoave.net (dev.infoave.net [165.166.143.11]) by tapr.org
(8.7.5/8.7.3/1.9) with ESMTP id WAA11745 for <regional_freq@tapr.org>; Mon, 14 Apr
1997 22:19:21 -0500 (CDT)
Received: from george (dial-1.r3.sclnscs.Infoave.Net)
by DEV.InfoAve.Net (PMDF V5.0-8 #17060)
id <01IHPOGS4Z8K8WVYK6@DEV.InfoAve.Net> for regional_freq@tapr.org; Mon,
14 Apr 1997 23:13:18 -0500 (EST)
Date: Mon, 14 Apr 1997 23:13:05 -0500
From: George Kent <grkent@bigfoot.com>
Subject: Re: [REGIONAL_FREQ:367] Finding Lat/Lon
In-reply-to: <v03020901af782c6b64d9@[192.168.1.2]>
To: regional_freq@tapr.org
Message-id: <01IHPOGUECD28WVYK6@DEV.InfoAve.Net>
MIME-version: 1.0
X-Mailer: Becky! ver 1.12
Content-type: text/plain
Content-transfer-encoding: 7bit
References: <v03020901af782c6b64d9@[192.168.1.2]>

On Mon, 14 Apr 1997 13:54:21 -0500 (CDT)

"Greg Jones, WD5IVD" <wd5ivd@tapr.org> wrote:

> I know several of you have done Lat/Lon for cities until you can get closer
> position input from the node owner.
>
> Could everyone (who has done this) write up a little description about
> doing this so we can include it in the FAQ, what Carl sends out to new
> people, and the How it works page.

To find the lat/lon data for most of the SC data I used a Precision Mapping CD-ROM. When you place the curser on a location the lat/lon is shown on the screen. For sites that I am familiar with I zoomed the map and got accurate data, for others I used the data from center of the supplied city/town location.

I have found that when using the same lat/lon for multiple equipment sites the Java map just stacks one info line on top of the other making some unreadable. I was playing with the idea of slightly shifting the locations so each line of info would show, but have not found time yet.

George Kent

Lancaster, SC

KD4DVT@KD4DVT.#LANC.SC.USA.NOAM

grkent@bigfoot.com

Check out my web page <<http://web.infoave.net/~grkent>>

From wd5ivd@tapr.org Mon Apr 14 23:28:25 1997

Received: from [192.168.1.2] (knezek2.coe.unt.edu [129.120.111.42]) by tapr.org (8.7.5/8.7.3/1.9) with ESMTP id XAA14351 for <regional_freq@tapr.org>; Mon, 14 Apr 1997 23:28:19 -0500 (CDT)

Message-Id: <v0302090aaf78b1cfc3fe@[192.168.1.2]>

In-Reply-To: <33527AA5.AE0@ckt.net>

Mime-Version: 1.0

Content-Type: text/plain; charset="us-ascii"

Date: Mon, 14 Apr 1997 23:19:07 -0500

To: regional_freq@tapr.org

From: "Greg Jones, WD5IVD" <wd5ivd@tapr.org>

Subject: Re: [REGIONAL_FREQ:368] Re: Finding Lat/Lon

Cool. I just found telnet://martini.eecs.umich.edu:3000/ which does exactly what I was looking for.

Just enter City, State and you get all the info you need until you have more accurate information on nodes.

With some time to code, I can have the checkprogram generate a list of LAT/LON based on cities that are missing the LAT/LON entry at the end of a file -- that is if you all want that functionality.

or -- you can just do it by hand now. :-)

Greg

>This location will give you 2 lookups at the same time:

>
>http://www.indo.com/distance/
>
>73,
>Steve N5SD

Greg Jones, WD5IVD
Austin, Texas
wd5ivd@tapr.org
http://www.tapr.org/~wd5ivd

From ka4afi@bbs.wd4roj.ampr.org Tue Apr 15 08:01:17 1997
Received: from bbs.wd4roj.ampr.org (gw.awanet.com [205.216.78.95]) by tapr.org
(8.7.5/8.7.3/1.9) with SMTP id IAA05287 for <regional_freq@tapr.org>; Tue, 15 Apr
1997 08:01:16 -0500 (CDT)
Date: Tue, 15 Apr 97 07:59:28 CDT
Message-Id: <180082@bbs.wd4roj.ampr.org>
From: Jim Ketcham <ka4afi@bbs.wd4roj.ampr.org>
Reply-To: ka4afi@bbs.wd4roj.ampr.org
To: regional_freq@tapr.org
Subject: Re: [REGIONAL_FREQ:370] Re: Finding Lat/Lon
In-Reply-To: your message of Mon Apr 14 23:30:34 1997
<v0302090aaf78b1cfc3fe@[192.168.1.2]>

Hi Greg,

Sounds good to me for the checkprogram to generate those lat/long
on the end of it. Might encourage everyone to go ahead and add
them to their respective uploads.

+ -- +
73 de Jim: KA4AFI, Co-SysOp, EARS JNOS gateway BBS
WD4ROJ.#SEAL.AL.USA.NOAM -or- bbs.wd4roj.ampr.org
+ -- +

From bruninga@nadn.navy.mil Tue Apr 15 08:20:51 1997
Received: from arctic.nadn.navy.mil (arctic.nadn.navy.mil [131.121.8.1]) by
tapr.org (8.7.5/8.7.3/1.9) with ESMTP id IAA06264 for <regional_freq@tapr.org>;
Tue, 15 Apr 1997 08:20:49 -0500 (CDT)
Received: from localhost (bruninga@localhost)
by arctic.nadn.navy.mil (8.8.5/8.8.5) with SMTP id JAA19129
for <regional_freq@tapr.org>; Tue, 15 Apr 1997 09:26:24 -0400 (EDT)
X-Authentication-Warning: arctic.nadn.navy.mil: bruninga owned process doing -bs
Date: Tue, 15 Apr 1997 09:26:24 -0400 (EDT)
From: Bob Bruninga <bruninga@nadn.navy.mil>
X-Sender: bruninga@arctic
To: regional_freq@tapr.org
Subject: Re: [REGIONAL_FREQ:370] Re: Finding Lat/Lon
In-Reply-To: <v0302090aaf78b1cfc3fe@[192.168.1.2]>

Message-ID: <Pine.GS0.3.95.970415092332.15594C-1000000@arctic>

MIME-Version: 1.0

Content-Type: TEXT/PLAIN; charset=US-ASCII

On Mon, 14 Apr 1997, Greg Jones, WD5IVD wrote:

> Just enter City, State and you get all the info you need until you have
> more accurate information on nodes.
> With some time to code, I can have the checkprogram generate a list of
> LAT/LON based on cities that are missing the LAT/LON entry at the end of a
> file -- that is if you all want that functionality.

APRSDos REPLY/COMMENT: The easiest way I know of to find LAT/LONG for your digital asset is to run APRS. Use the MAPS-CHANGE command to select your area of the country (EAS, WES, CEN, MID, SE, etc) and then zoom in to your area. Move the cursor to where your node is located and read the LAT/LONG coordinates shown...

Reply mail addr: wb4apr@amsat.org

US mail address: 115 old Farm Ct, Glen Burnie, MD 21060

See APRS LIVE: <http://web.usna.navy.mil/~bruninga/aprs.html>

GPS on ANY radio: <http://www.tapr.org/tapr/html/mic-e.html>

From wd5ivd@tapr.org Fri Apr 18 16:00:18 1997

Received: from [208.134.134.40] ([208.134.134.40]) by tapr.org (8.7.5/8.7.3/1.9) with ESMTP id QAA26906 for <regional_freq@tapr.org>; Fri, 18 Apr 1997 16:00:15 -0500 (CDT)

Message-Id: <v0302090baf7d8ff4c854@[208.134.134.40]>

Mime-Version: 1.0

Content-Type: text/plain; charset="us-ascii"

Date: Fri, 18 Apr 1997 15:55:17 -0500

To: TAPR Regional Freq <regional_freq@tapr.org>

From: "Greg Jones, WD5IVD" <wd5ivd@tapr.org>

Subject: Systems Updates

The updated checkprogram now outputs suggested LAT/LON based on the city field if your data doesn't have any LAT/LON information or if it is in the incorrect format.

Here are two samples:

```
5      Fremont          CA  N60XR-9
CHECK: Network type 'KA-NODE' when it might be blank for System 'DX
WARNING: Check LAT/LON values: '      ' / '      '
*** Fremont, Yolo Co., CA, 3840.36N 12138.02W
*** Fremont, San Bernardino Co., CA, 3511.30N 11734.33W
*** Fremont, Alameda Co., CA, 3732.54N 12159.15W
LAT/LON format <deg min>.<hundredths of minutes> (DDMM.HH).
nnnn.n(n)(n) nnnnn.n(n)(n) are valid formats. See NADSD pages
for more details.
```

```
1      Venice          FL  KD4UBZ
WARNING: Setting City Field to Location Field
WARNING: System Field ' __is blank__'
```

WARNING: LAT/LON Fields ' __are blank__ '

*** Venice, Sarasota Co., FL, 2705.58N 08227.16W

*** Venice Beach, Sarasota Co., FL, 2705.59N 08227.28W

*** Venice East, Sarasota Co., FL, 2703.24N 08222.43W

*** Venice Gardens, Sarasota Co., FL, 2704.22N 08224.28W

*** Venice Groves, Sarasota Co., FL, 2703.09N 08224.17W

You should be able to use this information to select the correct city location and use that LAT/LON in your database until you have a more accurate location on the node within the next year.

In addition, I now check to see if your LAT/LON has a direction indication afterwards. Thus, if you include it, it doesn't generate a Warning anymore. We will still show that LAT/LON in the data def as not having a direction indicator appended.

I'll be running the checkprogram in weekly mode shortly to generate everyone a new check file along with suggested LAT/LON that can be used.

If you don't see a suggest coordinate for a city location, I would suggest you telnet over to: telnet://martini.eecs.umich.edu:3000/ and check for locations there.

The other changes has to do with the header links on the listing pages. They have been changed to point to the new mapping system that Steve Dimse has on-line. The link from each region listing page now takes you to the map for the region. Steve's system breaks up the maps in regions (typically the state with all surrounding regions). This allows javAPRS to load a lot quicker. If you want to see the entire database, just use cgi call with ?us as the variable.

I would now say the NADSD system is fully operational. I don't think there are any sections underconstruction (other than the examples page -- anyone want to do that page).

As Carl has been stressing, he is now working fully on getting sections included and data more accurate. I hope that this update to the checkprogram helps with the later.

We still need to work on getting the Mexico page filled out. I had several people promise to send me the 3-4 letter abbrev for the states in Mexico, but never saw anything. As soon as we get those, I can add those into the page as links.

Cheers - Greg

Greg Jones, WD5IVD

Austin, Texas

wd5ivd@tapr.org

<http://www.tapr.org/~wd5ivd>

Greg Jones, WD5IVD
Austin, Texas
wd5ivd@tapr.org
<http://www.tapr.org/~wd5ivd>

From wd5ivd@tapr.org Mon Apr 21 17:33:11 1997
Received: from [208.134.134.40] ([208.134.134.40]) by tapr.org (8.7.5/8.7.3/1.9)
with ESMTP id RAA29417 for <regional_freq@tapr.org>; Mon, 21 Apr 1997 17:33:09
-0500 (CDT)
Message-Id: <v03020929af8199fcc1a6@[208.134.134.40]>
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Date: Mon, 21 Apr 1997 17:26:44 -0500
To: TAPR Regional Freq <regional_freq@tapr.org>
From: "Greg Jones, WD5IVD" <wd5ivd@tapr.org>
Subject: Lat/Lon Output

Never heard anything about the last checkprogram output. Did the Lat/Lon
information on the cities help ?

Greg

Greg Jones, WD5IVD
Austin, Texas
wd5ivd@tapr.org
<http://www.tapr.org/~wd5ivd>

From kc3et@diamond.nb.net Mon Apr 21 22:27:40 1997
Received: from nb.net (root@diamond.nb.net [207.113.179.26]) by tapr.org
(8.7.5/8.7.3/1.9) with SMTP id WAA25892 for <regional_freq@tapr.org>; Mon, 21 Apr
1997 22:27:24 -0500 (CDT)
Received: from National Business Network.nb.net by nb.net (SMI-8.6/SMI-SVR4)
id XAA25345; Mon, 21 Apr 1997 23:26:50 -0400
Message-ID: <335C2F46.66BA@nb.net>
Date: Mon, 21 Apr 1997 23:23:50 -0400
From: Chuck Gessner <kc3et@diamond.nb.net>
Reply-To: kc3et@diamond.nb.net
Organization: CNG ENTERPRISES
X-Mailer: Mozilla 3.01Gold (Win95; U)
MIME-Version: 1.0
To: regional_freq@tapr.org
Subject: Re: [REGIONAL_FREQ:374] REGIONAL_FREQ digest 122
References: <199704212240.RAA00114@tapr.org>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

regional_freq@tapr.org wrote:

>

> REGIONAL_FREQ Digest 122

>

> Topics covered in this issue include:

>

> 1) Lat/Lon Output

> by "Greg Jones, WD5IVD" <wd5ivd@tapr.org>

>

> -----

>

> Date: Mon, 21 Apr 1997 17:26:44 -0500

> From: "Greg Jones, WD5IVD" <wd5ivd@tapr.org>

> To: TAPR Regional Freq <regional_freq@tapr.org>

> Subject: Lat/Lon Output

> Message-ID: <v03020929af8199fcc1a6@[208.134.134.40]>

>

> Never heard anything about the last checkprogram output. Did the Lat/Lon

> information on the cities help ?

>

> Greg

>

> -----

> Greg Jones, WD5IVD

> Austin, Texas

> wd5ivd@tapr.org

> http://www.tapr.org/~wd5ivd

> -----

>

> -----

>

> End of REGIONAL_FREQ Digest 122

> *****

GE Greg.

Yes it did. I was especially interested in seeing the results on the map. The previous APRS map didn't work very well. It does now. By observing the positions of some of the systems in my list I discovered that the Lat/Long info was incorrect. So I had to do some research. I used one of those city look up servers as was mentioned to get better information. So it did help. Keep up the good work.

73 de Chuck KC3ET

From rishmael@texhoma.net Tue Apr 22 06:53:47 1997

Received: from id1.texhoma.net (id1.texhoma.net [207.204.124.11]) by tapr.org (8.7.5/8.7.3/1.9) with ESMTP id GAA11503 for <regional_freq@tapr.org>; Tue, 22 Apr 1997 06:53:46 -0500 (CDT)

Received: from texsip04.texhoma.net (texsip04.texhoma.net [207.204.124.69]) by id1.texhoma.net (8.8.5/8.7.3) with SMTP id GAA06103 for <regional_freq@tapr.org>; Tue, 22 Apr 1997 06:54:42 -0500 (CDT)

Message-Id: <3.0.1.16.19970422064556.335f783c@texhoma.net>

X-Sender: rishmael@texhoma.net

X-Mailer: Windows Eudora Light Version 3.0.1 (16)

Date: Tue, 22 Apr 1997 06:45:56

To: regional_freq@tapr.org

From: "Rex H. Ishmael" <rishmael@texhoma.net>

Subject: Re: [REGIONAL_FREQ:374] Lat/Lon Output

In-Reply-To: <v03020929af8199fcc1a6@[208.134.134.40]>
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"

Yes, but havent gotten to change the data input yet.. too much travel time...
REX

At 05:38 PM 4/21/97 -0500, you wrote:

>Never heard anything about the last checkprogram output. Did the Lat/Lon
>information on the cities help ?

>

>Greg

>

>-----

>Greg Jones, WD5IVD

>Austin, Texas

>wd5ivd@tapr.org

><http://www.tapr.org/~wd5ivd>

>-----

>

>

>

>

>

=====
Rex Ishmael, Sr. Environmental Engineer, Halliburton Energy Services

E-Mail: rishmael@halnet.com (work)

E-Mail: rishmael@texhoma.net (home)

Amatuer Mail: WD0AJG@WD0AJG.#SCOK.OK.USA.NOAM

=====

From kc3et@diamond.nb.net Wed Apr 23 09:43:31 1997

Received: from nb.net (root@diamond.nb.net [207.113.179.26]) by tapr.org
(8.7.5/8.7.3/1.9) with SMTP id JAA24385 for <regional_freq@tapr.org>; Wed, 23 Apr
1997 09:43:29 -0500 (CDT)

Received: from National Business Network.nb.net by nb.net (SMI-8.6/SMI-SVR4)
id KAA22408; Wed, 23 Apr 1997 10:43:19 -0400

Message-ID: <335E1F54.3AE6@nb.net>

Date: Wed, 23 Apr 1997 10:40:20 -0400

From: Chuck Gessner <kc3et@diamond.nb.net>

Reply-To: kc3et@diamond.nb.net

Organization: CNG ENTERPRISES

X-Mailer: Mozilla 3.01Gold (Win95; U)

MIME-Version: 1.0

To: Carl Estey <cestey@millcomm.com>

CC: "regional_freq@tapr.org" <regional_freq@tapr.org>

Subject: Questions Abt TcpIp & PMBXs

Content-Type: text/plain; charset=us-ascii

Content-Transfer-Encoding: 7bit

GM Carl.

I have several question that possibly you might be able to help me
with.

1) Is their a way to have BBS systems that operate under Tcp/IP listed

- a. I noticed this just this morning when I looked at the entries for both the W2X0 and N3NAA systems. Both are TcpIp systems and have bbs systems attached.
- b. My entrys look like

Call	System Type	Network Type	Software Used
W2X0	BBS	TCP/IP	X0BBS
N3NAA	BBS	TCP/IP	JNOS

- a) I have several clubs in my section that operate full time personal mailboxes that operate in a tnc for such things as club info, Swap n Shop listings, ARRL bulletins, etc..
- b) I changed these personal mailboxes to 'System Type DIGI' and then in the Notes column listed 'Mailbox'.

3) Lastly in the 'BAND' setting on the Java APRS I noted that there is a category for '1200'. At first I thought that was in error but found that is for 1200 bps. Is that supposed to be that way.

73 de Chuck KC3ET

The NADSD Check Program points out that I have a problem with my entry number 10. It keeps showing "Morgan" as the city instead of Decatur, AL. Entry # 9 is also Decatur, AL and works fine. I can't find the difference in my upload file. Could one of you take a look and tell me what is wrong with the #10 entry?

```
+-----+
73 de Jim: KA4AFI, Co-SysOp, EARS JNOS gateway BBS
WD4ROJ.#SEAL.AL.USA.NOAM -or- bbs.wd4roj.ampr.org
+-----+
```

From sdimse@bridge.net Tue Apr 29 11:11:15 1997
Received: from brickell.bridge.net (root@brickell.bridge.net [204.253.4.3]) by
tapr.org (8.7.5/8.7.3/1.9) with ESMTP id LAA02997 for <regional_freq@tapr.org>;
Tue, 29 Apr 1997 11:11:14 -0500 (CDT)
Received: from bridge.net (bridge.net [204.253.4.4])

by brickell.bridge.net (8.8.5/8.8.5) with ESMTP id MAA27185
for <regional_freq@tapr.org>; Tue, 29 Apr 1997 12:11:12 -0400
Received: from [199.174.141.229] (ad38-229.compuserve.com [199.174.141.229])
by bridge.net (8.8.5/8.8.5) with SMTP id MAA04854
for <regional_freq@tapr.org>; Tue, 29 Apr 1997 12:11:10 -0400 (EDT)
Message-Id: <199704291611.MAA04854@bridge.net>
Subject: Map Display Improvements
Date: Tue, 29 Apr 97 12:11:11 -0400
x-sender: sdimse@mail.bridge.net
x-mailer: Claris Emailer 2.0, March 15, 1997
From: Steve Dimse <sdimse@bridge.net>
To: <regional_freq@tapr.org>
Mime-Version: 1.0
Content-Type: text/plain; charset="US-ASCII"

I have put up a new version of javAPRS which allows searching by system and network type, as well as band. It also puts up a count of the number of listings. Currently 1750 listings display valid lat/lon, or less than half of the database!

I still need to develop a custom map list for each state, but that is quite labor intensive and will get done in the fullness of time. The only state with a map list now is Texas, take a look at that for a glimpse of the detailed maps that will be available.

If you haven't looked at the map display, please do...it is a significant adjunct to the text listings.

In case you forgot, the URL is:

<http://www.tapr.org/directory/map/us.html>

And, especially, if you haven't put in lat/lon data, please take the time to do it!

Thanks de Steve K4HG

From sdraper@ckt.net Tue Apr 29 19:13:27 1997
Received: from ckt.net (girard1-le1.ckt.net [206.253.50.10]) by tapr.org (8.7.5/8.7.3/1.9) with SMTP id TAA16681 for <regional_freq@tapr.org>; Tue, 29 Apr 1997 19:13:25 -0500 (CDT)
Received: from LOCALNAME by ckt.net (SMI-8.6/SMI-SVR4) id TAA19569; Tue, 29 Apr 1997 19:13:23 -0500
Message-ID: <33664885.6502@ckt.net>
Date: Tue, 29 Apr 1997 19:14:13 +0000
From: "Stephen C. Draper N5SD" <sdraper@ckt.net>
Reply-To: sdraper@ckt.net
X-Mailer: Mozilla 3.01Gold (Win16; I)
MIME-Version: 1.0
To: regional_freq@tapr.org
Subject: JAVA
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

For those of us that don't have JAVA capability, what do we need?

For a PC:

What operating system is needed?

What processor is needed, 386, 486, pentium, sx, dx....?

What browser? I know Netscape 2, 3.01, Gold and Explorer 2 won't work.

The only browser listing it is a Beta version that is
expired.

How do you turn it on?????

I suspect there is a lot of fellows out there wondering these same
questions and just afraid to ask.

73,

Steve N5SD

sdraper@ckt.net

From sdimse@bridge.net Tue Apr 29 20:25:37 1997

Received: from brickell.bridge.net (root@brickell.bridge.net [204.253.4.3]) by
tapr.org (8.7.5/8.7.3/1.9) with ESMTP id UAA20154 for <regional_freq@tapr.org>;
Tue, 29 Apr 1997 20:25:36 -0500 (CDT)

Received: from bridge.net (bridge.net [204.253.4.4])
by brickell.bridge.net (8.8.5/8.8.5) with ESMTP id VAA18714
for <regional_freq@tapr.org>; Tue, 29 Apr 1997 21:25:35 -0400

Received: from [199.174.172.248] (ad77-248.compuserve.com [199.174.172.248])
by bridge.net (8.8.5/8.8.5) with SMTP id VAA17620
for <regional_freq@tapr.org>; Tue, 29 Apr 1997 21:25:31 -0400 (EDT)

Message-Id: <199704300125.VAA17620@bridge.net>

Subject: Re: [REGIONAL_FREQ:380] JAVA

Date: Tue, 29 Apr 97 21:25:34 -0400

x-sender: sdimse@mail.bridge.net

x-mailer: Claris Emailer 2.0, March 15, 1997

From: Steve Dimse <sdimse@bridge.net>

To: <regional_freq@tapr.org>

Mime-Version: 1.0

Content-Type: text/plain; charset="US-ASCII"

On 4/29/97 8:17 PM Stephen C. Draper N5SD (sdraper@ckt.net) wrote:

>For those of us that don't have JAVA capability, what do we need?

>

>For a PC:

>

>What operating system is needed?

>What processor is needed, 386, 486, pentium, sx, dx....?

>What browser? I know Netscape 2, 3.01, Gold and Explorer 2 won't work.

>The only browser listing it is a Beta version that is

>expired.

>How do you turn it on?????

>

Windows 95, NT, OS/2 as well as Mac and linux all work. Windows 3.1 does
not have a browser supporting Java. The beta version of Netscape you

mentioned was a first attempt at W3.1 support, worked fine for little display applets, but javAPRS is a pretty complicated applet, until they are out of beta javAPRS will likely run poorly if at all.

Steve K4HG